

motherson

Motherson Technology Services Limited
(formerly known as MothersonSumi Infotech & Designs Limited)

Head Office: C-26 | Sector-62 | Noida-201309, U.P. | India
Tel: +91-120-4365555 | Fax: +91-120-43655566 | Website: www.mothersontechnology.com
11th July, 2024

To,

The Director – IA
Ministry of Environment, Forest & Climate Change
Indira Gandhi Paryavaran Bhavan
Jorbagh
New Delhi – 110003

Subject: Compliance of Environmental Clearance for the project "IT/ITES Park, Industrial Plot No. 04, Sector 156, Noida, U.P. by M/s Motherson Technology Services Ltd. (earlier M/s Mothersonsumi Infotech & Designs Ltd)"

Ref: EC Identification No. EC22B038UP132406

Dear Sir,

With reference to above, we are submitting our point-wise compliance for the additional and General Conditions of Environmental Clearance letter. Our project is, IT/ITES Park, Industrial Plot No. 04, Sector 156, Noida, U.P. by M/s Motherson Technology Services Ltd. (earlier M/s Mothersonsumi Infotech & Designs Ltd) and EC Identification Number is EC22B038UP132406.

Thanking you,

Yours faithfully,

For Motherson Technology Services Limited

(Formerly MothersonSumi Infotech & Designs Limited).

Ashish Bhagat

Ashish Bhagat*
Authorized Signatory

Encl: Compliance along with supporting documents

Copy to:

1. The Director, Directorate of Environment, Gomti Nagar, Lucknow

Point-wise Compliance Status

IT/ITES Park at Industrial Plot No. 04, Sector 156

Noida, Uttar Pradesh

EC Identification No. EC22B038UP132406

A: ADDITIONAL CONDITIONS	
01	Project proponent shall identify 02 villages and adopt them for its development
Compliance Status	Two villages – Hajipur and Sonpura – in Noida have been identified for the development and plans are being finalized. Some social and developmental activities in these two villages are already under progress.
02	In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
Compliance Status	Three anti-smog guns have been installed not only for excavation phase, but for the whole construction phase. Since the project does not have basements, soil excavation is minimal.
03	The project proponent shall submit within the next 3 months the details of solar power plant and solar electrification details within the project
Compliance Status	The electricity would be drawn from Green/Renewable grid and discussions in this regard are underway. Individual solar units for the project has not been planned.
04	The project proponent shall ensure to plant broad leaf trees and their maintenance. The CPCB guidelines in this regard shall be followed.
Compliance Status	The point has been noted, and it would be followed. Selected species of trees to be planted are: Alstonia Bauhinia (Kachnar) Anthocephalus Chiensis (Kadamb) Bombax Ceiba (Semal) Cassia Fistula (Amaltas) Delonix Regia (Gulmohar) Jacaraanda (Jacaranda) Lagerstroemia – Fios – Reginae Peltoophorum Africannum (Weeping Wattle) Polyanthia Longifolia (Ashok)

	Putranjiva Roxburghii (Jiya Pota) Mimusops Elengi (Maulsiri)
05	The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. CER activities must not be less 2% of the project cost. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same.
Compliance Status	The Motherson Group formulates the CSR/CER Activities for individual units. Year-wise CSR fund and activities are being finalized. At least 2% of the project cost would be spent on CER activities.
06	The project proponent shall submit within the next 3 months the details of estimated construction waste generated during the construction period and its management plan.
Compliance Status	The construction waste would be minimal as there is no deep excavation for the project. The project does not have basements. The management of construction waste would be done as per UPPPCB and Noida Authority Guidelines and according to Construction and Demolition Waste Management Rules. Whatever soil is excavated, have been kept for refilling and development of horticulture.
07	The project proponent shall submit within the next 3 months the details of segregation plan of MSW
Compliance Status	MSW would be segregated at the site into recyclable and compostable wastes. Hazardous and electronic components of MSW would be further segregated and managed as per respective guidelines.
08	The project proponent shall ensure that wastewater is properly treated in STP and maximum amount should be reused for gardening flushing system and washing etc. For reuse of water for irrigation sprinkler and drip irrigation system shall be installed and maintained for proper function. Part of the treated sewage, if discharged to sewer line, shall meet the prescribed standards for the discharge
Compliance Status	The point has been noted and it would be followed.
09	Under any circumstances untreated sewage shall not be discharged to municipal sewer line
Compliance Status	The point has been noted and it would be followed.
10	The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per the Construction and Demolition Waste Management Rules
Compliance Status	The point has been noted and being followed. Soon a display board informing steps taken for air pollution would be installed at the site.
11	The project proponent shall install micro solar power plants, toilets in nearby villages, public place or school from CER fund of the project for which EC is granted in addition to water harvesting pits and carbon sequestration parks / designed ecosystems.
Compliance Status	The point has been noted and it would be followed. The plan in this regard is being finalized.
12	A certificate from Forest Department shall be obtained that no forest land is

	involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Forest (conservation) Act, 1980 and submit before the start of work.
Compliance Status	The point has been noted and it would be followed
13	In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during excavation.
Compliance Status	The point has been noted and being followed.
14	If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it
Compliance Status	The point has been noted and construction requirements are met with STP treated wastewater. The workers and supervisory staff drink RO water.
15	Provision for charging of electric vehicles as per the guidelines of Gol / GoUP should be submitted within the next 3 months.
Compliance Status	The charging points for EVs would be installed inside the parking areas.
16	PP should display EC granted to them on their website. 6-monthly compliance report should be displayed on their website and a copy of the same should be made available to occupants / owners of this building.
Compliance Status	The EC and compliance report is being displayed on our website.

Standard EC Conditions prescribed by MoEF&CC, GOI

1. Statutory Compliance

1.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
Compliance Status	All-important clearances and NOCs have been obtained including CTE from UPPCB. Present status of project along with recent photographs is enclosed at A1, CTE is enclosed as A2, Height Clearance from Airport Authority at A3, plan and drawing sanction from Noida Authority at A4, Fire sanction at A5, Registration of workers at A6 and Structural Safety Certificate is enclosed as A7.
2.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightning etc.
Compliance Status	The structural safety certificate has been obtained and enclosed as A7.

project proponent shall obtain forest clearance under the provisions of

	Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
Compliance Status	The point is not applicable for our project, as there is no diversion of forest land.
4.	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
Compliance Status	The point is not applicable for our project.
5.	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
Compliance Status	CTE from UP Pollution Control Board has been obtained and enclosed as A2.
6.	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
Compliance Status	The point has been noted and it would be followed prior to operation phase.
7.	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
Compliance Status	The point has been noted.
8.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
Compliance Status	The project would have PNG-based generator sets, so there is no requirement of diesel storage. CTE is enclosed as A2, Height Clearance from Airport Authority at A3, plan and drawing sanction from NOIDA Authority at A4, Fire sanction at A5, Registration of workers at A6 and Structural Safety Certificate is enclosed as A7.
9.	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
Compliance Status	The point has been noted and it would be followed
10.	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.
Compliance Status	The point has been noted and it would be followed.
2. Air quality monitoring and preservation	
1.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
Compliance Status	The point has been noted and anti-smog guns are being used in addition to tractor-mounted water sprinklers.

2.	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
Compliance Status	The point has been noted and anti-smog guns are being used in addition to tractor-mounted water sprinklers.
3.	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25) covering upwind and downwind directions during the construction period.
Compliance Status	Ambient air quality has been monitored at the site and results are enclosed at A8.
4.	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
Compliance Status	The point has been noted. It has been decided to install PNG-based Generator sets.
5.	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
Compliance Status	The point has been noted and whole site periphery has wind-breaking walls. The trucks carrying building materials are properly covered and their storage area is enclosed.
6.	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
Compliance Status	The point has been noted and all the building construction materials are stored at enclosed spaces.
7.	Wet jet shall be provided for grinding and stone cutting.
Compliance Status	The point has been noted and being followed.
8.	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
Compliance Status	The point has been noted and being followed.
9.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016.
Compliance Status	The point has been noted and being followed.
10.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise mission standards.

Compliance Status	The point has been noted and being followed.
11.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low Sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
Compliance Status	The point has been noted and being followed. It has been decided to install PNG-based Generator sets.
12.	For indoor air quality the ventilation provisions as per National Building Code of India.
Compliance Status	The point has been noted and it would be followed.
3. Water quality monitoring and preservation	
1.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
Compliance Status	The point has been noted and being followed.
2.	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
Compliance Status	The point has been noted and being followed.
3.	Total freshwater use shall not exceed the proposed requirement as provided in the project details.
Compliance Status	Freshwater requirement has been calculated for maximum capacity, therefore there is no possibility to exceed the limit.
4.	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
Compliance Status	The point has been noted and would be submitted after the onset of operation phase.
5.	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
Compliance Status	The point has been noted and would be submitted with next compliance report.
6.	At least 20% of the open spaces as required by the local building byelaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
Compliance Status	The point has been noted and it would be followed.

7.	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation car washing, thermal cooling, conditioning etc. shall be done.
Compliance Status	The point has been noted and it would be followed.
8.	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets taps aerators etc) for water conservation shall be incorporated in the building plan.
Compliance Status	The point has been noted and it would be followed.
9.	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets taps aerators etc) for water conservation shall be incorporated in the building plan.
Compliance Status	The point has been noted and it would be followed.
10.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
Compliance Status	The point has been noted and being followed.
11.	The local bye-law provisions on rainwater harvesting should be followed. If local byelaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rainwater harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
Compliance Status	The point has been noted and it would be followed.
12.	A rainwater harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total freshwater requirement shall be provided. In areas where ground water recharge is not feasible, the rainwater should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
Compliance Status	The point has been noted and it would be followed.
13.	All recharges should be limited to shallow aquifer.
Compliance Status	The point has been noted and it would be followed.
14.	No ground water shall be used during construction phase of the project.
Compliance Status	The point has been noted and being followed. The bills for STP treated water from NOIDA Authority are enclosed as A9.
15.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
Compliance Status	The point has been noted and it would be followed, however there is no de-watering from the project.
16.	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected

	the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
Compliance Status	The point has been noted and would be submitted after operation phase of the project.
17.	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, not related water shall be disposed into municipal drain.
Compliance Status	The point has been noted and would be followed.
18.	No sewage or untreated effluent water would be discharged through storm water drains.
Compliance Status	The point has been noted and it would be followed.
19.	Onsite sewage treatment of capacity of treating 100% wastewater to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated wastewater shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest, and Climate Change. Natural treatment systems shall be promoted.
Compliance Status	The point has been noted and it would be followed.
20.	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odor problem from STP.
Compliance Status	The point has been noted and it would be followed.
21.	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Centre Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.
Compliance Status	The point has been noted and it would be followed.

4. Noise monitoring and prevention

1.	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
Compliance Status	The point has been noted and it would be followed. The data of ambient noise monitoring is enclosed as A10.
2.	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.

Status	
3.	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
Compliance Status	The point has been noted and it would be followed.

5. Energy Conservation Measures

1.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
Compliance Status	The point has been noted and it would be followed.
2.	Outdoor and common area lighting shall be LED.
Compliance Status	The point has been noted and it would be followed.
3.	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
Compliance Status	The point has been noted and would be followed.
4.	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning..
Compliance Status	The point has been noted and would be followed.
5.	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
Compliance Status	The point has been noted. Most of the electricity would be drawn from Green/Renewable grid.
6.	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
Compliance Status	The point has been noted. Most of the electricity would be drawn from Green/Renewable grid.

6. Waste Management

1.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
Compliance Status	The point has been noted and it would be submitted with next compliance report.

2.	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
Compliance Status	The point has been noted and being followed.
3.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
Compliance Status	The point has been noted and it would be followed.
4.	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
Compliance Status	The point has been noted and would be followed.
5.	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
Compliance Status	The point has been noted and would be followed.
6.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
Compliance Status	The point has been noted and it would be followed.
7.	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
Compliance Status	The point has been noted and it would be followed.
8.	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
Compliance Status	The point has been noted and it would be followed.
9.	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
Compliance Status	The point has been noted and it would be followed.
10.	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.
Compliance Status	The point has been noted and it would be followed.

7. Green Cover

1.	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
Compliance Status	The point has been noted and being followed. No tree has been felled at project site.
2.	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
Compliance Status	The point has been noted and it would be followed.
3.	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e., planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
Compliance Status	No tree cutting/felling is required for the project as there is no tree on the plot.
4.	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.
Compliance Status	The point has been noted and would be followed.

8. Transport

1.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
Compliance Status	The point has been noted and it would be followed.
2.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.
Compliance Status	The point has been noted and being followed
3.	A detailed traffic management and traffic decongestion plan shall be drawn up

	<i>to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.</i>
--	---

Compliance Status	<i>The point has been noted and would be followed.</i>
--------------------------	---

9. Human Health Issues

1.	<i>All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.</i>
-----------	--

Compliance Status	<i>The point has been noted and being followed.</i>
--------------------------	--

2.	<i>For indoor air quality the ventilation provisions as per National Building Code of India.</i>
-----------	--

Compliance Status	<i>The point has been noted and it would be followed.</i>
--------------------------	--

3.	<i>Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.</i>
-----------	---

Compliance Status	<i>The point has been noted and being followed.</i>
--------------------------	--

4.	<i>Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.</i>
-----------	--

Compliance Status	<i>The point has been noted and being followed.</i>
--------------------------	--

5.	<i>Occupational health surveillance of the workers shall be done on a regular basis.</i>
-----------	--

Compliance Status	<i>The point has been noted and being followed.</i>
--------------------------	--

6.	<i>A First Aid Room shall be provided in the project both during construction and operations of the project.</i>
-----------	--

Compliance Status	<i>The point has been noted and being followed.</i>
--------------------------	--

10. Corporate Environment Responsibility

1.	<i>The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.</i>
-----------	---

Compliance Status	<i>The point has been noted and it would be followed.</i>
--------------------------	--

2.	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
Compliance Status	The point has been noted and it is being discussed at senior level. The environment policy and board resolution would be submitted soon.
3.	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
Compliance Status	The point has been noted and it would be followed.
4.	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
Compliance Status	The point has been noted and would be followed.

11. Miscellaneous

1.	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
Compliance Status	EC could not be advertised in the newspapers.
2.	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
Compliance Status	The point has been noted, but copy of EC was already sent to DM, GB Nagar by SEIAA, UP.
3.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
Compliance Status	The point is being discussed and is under consideration.
4.	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.

Compliance Status	The point has been noted and would be followed.
5.	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
Compliance Status	The point has been noted and would be followed.
6.	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
Compliance Status	The point has been noted and it would be followed.
7.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
Compliance Status	The point has been noted and being followed.
8.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report; commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
Compliance Status	The point has been noted and being followed.
9.	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
Compliance Status	The point has been noted and being followed.
10.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
Compliance Status	The point has been noted.
11.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
Compliance Status	The point has been noted.
12.	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
Compliance Status	The point has been noted.
13.	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
Compliance Status	The point has been noted.

14.	<i>The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter..</i>
Compliance Status	<i>The point has been noted.</i>
15.	<i>Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.</i>
Compliance Status	<i>The point has been noted.</i>

M/s Mothercare Technology Services Limited

Plot No. C-20 Sector 62

Phase - 201301